

ONEIDA LABS SPECIFICATION CHART FOR ALL 1992 BOW MODELS

TOMCAT II

	POWER CABLE	YOKE CABLE	B-50 STRING	BRACE HEIGHT RANGE	POWER 50-70	LIMB 35-55	OUTBOARD LIMB	INSERT NUMBERS 65%
23-24	WHITE	ORANGE	46 5/8 IN	7 1/4 - 7 1/2	A	C	S	3
24-25	WHITE	ORANGE	46 5/8 IN	7 1/4 - 7 1/2	A	C	S	6
25-26	WHITE	ORANGE	46 5/8 IN	7 1/4 - 7 1/2	A	C	S	9
26-27	WHITE	ORANGE	46 5/8 IN	7 1/4 - 7 1/2	A	C	S	42
27-28	WHITE	ORANGE	46 5/8 IN	7 1/4 - 7 1/2	A	C	S	39
28-29	YELLOW	COP/PINK	46 5/8 IN	7 1/4 - 7 1/2	A	C	S	12
29-30	YELLOW	COP/PINK	46 5/8 IN	7 1/4 - 7 1/2	A	C	S	15
30-31	YELLOW	COP/PINK	46 5/8 IN	7 1/4 - 7 1/2	A	C	S	18
31-32	YELLOW	COP/PINK	48 7/8 IN	7 7/8 - 8 1/8	A	C	L	12
32-33	YELLOW	COP/PINK	48 7/8 IN	7 7/8 - 8 1/8	A	C	L	15
33-34	YELLOW	COP/PINK	48 7/8 IN	7 7/8 - 8 1/8	A	C	L	18

PHANTOM II

	POWER CABLE	YOKE CABLE	OMNI-FLITE STRING	BRACE HEIGHT RANGE	60-80	POWER 50-70	LIMBS 35-55	25-45	OUTBOARD LIMB	INSERT NUMBERS		
23-24	WHITE	ORANGE	47 1/8 IN	7 1/8 - 7 3/8	AAA	A	C	F	S	1	2	3
24-25	WHITE	ORANGE	47 1/8 IN	7 1/8 - 7 3/8	AAA	A	C	F	S	4	5	6
25-26	WHITE	ORANGE	47 1/8 IN	7 1/8 - 7 3/8	AAA	A	C	F	S	7	8	9
26-27	WHITE	ORANGE	47 1/8 IN	7 1/8 - 7 3/8	AAA	A	C	F	S	40	41	42
27-28	WHITE	ORANGE	47 1/8 IN	7 1/8 - 7 3/8	AAA	A	C	F	S	37	38	39
28-29	YELLOW	COP/PINK	47 1/8 IN	7 1/8 - 7 3/8	AAA	A	C	F	S	10	11	12
29-30	YELLOW	COP/PINK	47 1/8 IN	7 1/8 - 7 3/8	AAA	A	C	F	S	13	14	15
30-31	YELLOW	COP/PINK	47 1/8 IN	7 1/8 - 7 3/8	AAA	A	C	F	S	16	17	18
31-32	YELLOW	COP/PINK	49 3/8 IN	7 7/8 - 8 1/8	AAA	A	C	F	L	10	11	12
32-33	YELLOW	COP/PINK	49 3/8 IN	7 7/8 - 8 1/8	AAA	A	C	F	L	13	14	15
33-34	YELLOW	COP/PINK	49 3/8 IN	7 7/8 - 8 1/8	AAA	A	C	F	L	16	17	18

NERO FORCE

	POWER CABLE	YOKE CABLE	OMNI-FLITE STRING	BRACE HEIGHT RANGE	60-80	POWER 50-70	LIMBS 35-55	25-45	OUTBOARD LIMB	INSERT NUMBERS		
23-24	ORANGE	COP/GREEN	47 1/8 IN	6 7/8 - 7 1/8	AAA	A	C	F	S	1	2	3
24-25	ORANGE	COP/GREEN	47 1/8 IN	6 7/8 - 7 1/8	AAA	A	C	F	S	4	5	6
25-26	ORANGE	COP/GREEN	47 1/8 IN	6 7/8 - 7 1/8	AAA	A	C	F	S	7	8	9
26-27	ORANGE	COP/GREEN	47 1/8 IN	6 7/8 - 7 1/8	AAA	A	C	F	S	40	41	42
27-28	ORANGE	COP/GREEN	47 1/8 IN	6 7/8 - 7 1/8	AAA	A	C	F	S	37	38	39
28-29	YELLOW	COP/BLUE	47 1/8 IN	6 7/8 - 7 1/8	AAA	A	C	F	S	10	11	12
29-30	YELLOW	COP/BLUE	47 1/8 IN	6 7/8 - 7 1/8	AAA	A	C	F	S	13	14	15
30-31	YELLOW	COP/BLUE	47 1/8 IN	6 7/8 - 7 1/8	AAA	A	C	F	S	16	17	18
31-32	YELLOW	COP/BLUE	49 3/8 IN	7 7/8 - 8 1/8	AAA	A	C	F	L	10	11	12
32-33	YELLOW	COP/BLUE	49 3/8 IN	7 7/8 - 8 1/8	AAA	A	C	F	L	13	14	15
33-34	YELLOW	COP/BLUE	49 3/8 IN	7 7/8 - 8 1/8	AAA	A	C	F	L	16	17	18

STRIKE EAGLE

	POWER CABLE	YOKE CABLE	OMNI-FLITE STRING	BRACE HEIGHT RANGE	60-80	POWER 50-70	LIMBS 35-55	25-45	OUTBOARD LIMB	INSERT NUMBERS		
SHORT	CLEAR	RED	49 IN.	7 1/8 - 7 5/8	AAA	AA	C	F	S	10	11	12
MEDIUM	BROWN	COP/COP	49 3/8 IN.	7 1/8 - 7 5/8	AAA	AA	C	F	S	13	14	15
LONG	BROWN	COPR/COPR	50.5 IN.	7 3/4 - 8 1/4	AAA	AA	C	F	L	16	17	18

CABLE CHART FOR ONEIDA BOWS NO LONGER IN PRODUCTION

<i>H-250</i>	<i>Power Cable</i>	<i>Yoke Cable</i>	<i>B-50 String</i>	<i>Brace Height</i>	<i>Power Limb</i>
26-27	Orange	Red	47"	7 3/8 - 7 7/8	D & .20
27-28	Orange	Red	47"	7 3/8 - 7 7/8	D & .20
28-29	White	White	47"	7 3/8 - 7 7/8	D
29-30	Yellow	Blue	47"	7 3/8 - 7 7/8	D
30-31	Blue	Black	48"	7 5/8 - 8 1/8	D
31-32	Blue	Black	49"	7 3/4 - 8 1/4	D
32-33	Blue	Black	49 1/2"	8 1/4 - 8 3/4	D
33-34	Blue	Black	50 1/2"	7 3/4 - 8 1/4	D

<i>H-500</i>	<i>Power Cable</i>	<i>Yoke Cable</i>	<i>B-50 String</i>	<i>Brace Height</i>	<i>Power 25 - 45</i>	<i>Limb 35 - 55</i>	<i>45 - 65</i>	<i>50 - 70</i>
26-27	Orange	Red	47"	7 3/8 - 7 7/8	G	E	A.20	A.20
27-28	Orange	Red	47"	7 3/8 - 7 7/8	G	E	B.20	A.20
28-29	White	White	47"	7 3/8 - 7 7/8	G	E	B	A
29-30	Yellow	Blue	47"	7 3/8 - 7 7/8	G	E	B	A
30-31	Blue	Black	48"	7 5/8 - 8 1/8	G	E	B	A
31-32	Blue	Black	49"	7 3/4 - 8 1/4	G	E	B	A
32-33	Blue	Black	49 1/2"	8 1/4 - 8 3/4	G	E	B	A
33-34	Blue	Black	50 1/2"	7 3/4 - 8 1/4	G	E	C	B

<i>H-500</i>	<i>Power Cable</i>	<i>Yoke Cable</i>	<i>B-50 String</i>	<i>Brace Height</i>	<i>Power 60-80</i>	<i>Limb</i>
26-27	Red	Green	47"	7 3/8 - 7 7/8	AA	
27-28	White	Red	47"	7 3/8 - 7 7/8	AA	
28-29	Yellow	Orange	47"	7 3/8 - 7 7/8	AA	
29-30	Blue	Blue	47"	7 3/8 - 7 7/8	AA	
30-31	Blue	Blue	48"	7 5/8 - 8 1/8	AA	
31-32	Pink	Blue	49"	7 3/4 - 8 1/4	AA	
32-33	Blue	Blue	49 1/2"	8 1/4 - 8 3/4	AA	
33-34	Blue	Black	50 1/2"	7 3/4 - 8 1/4	AA	

SE-600, SE689, SE689LXV - Alloy I-Cam (1987-1989)

<i>Draw</i>	<i>Power Cable</i>	<i>Yoke Cable</i>	<i>FF/OF String</i>	<i>Brace Height</i>	<i>Power 25 - 45</i>	<i>Limb 35 - 55</i>	<i>45 - 65</i>	<i>50 - 70</i>	<i>60-80</i>
24-26	Red	Red	48"	7 3/8 - 7 5/8	G	E	B	A	AA
26-27	Red	Green	48"	7 3/8 - 7 5/8	G	E	B	A	AA
27-28	White	Red	48"	7 3/8 - 7 5/8	G	E	B	A	AA
28-29	Yellow	Orange	48"	7 3/8 - 7 5/8	G	F	E	B	A
29-30	Blue	Blue	48"	7 3/8 - 7 5/8	G	E	B	A	AA
30-31	Pink	Blue	49"	7 5/8 - 8 1/8	G	E	B	A	AA
31-32	Pink	Blue	50"	7 3/4 - 8 1/4	G	E	C	A	AA
32-33	Blue	Blue	50 1/2"	8 1/4 - 8 3/4	G	G	E	B	A
33-34	Pink	Black	51 1/2"	7 3/4 - 8 1/4	G	F	F	A	AA

ONEIDA EAGLE STRING SPECIFICATIONS

The following bows use B50 Dacron Strings:

	25-30	30-31	31-32	32-33	33-34	Model Years
H500	47	48	49	49 1/2	50 1/2	1982 - 1989
H250	47	48	49	49 1/2	50 1/2	1984 - 1989

	Short	Medium	Long	Model Years
Tomcat	48	48	50 1/2	1990 - 1991
Tomcat II	46 5/8	46 5/8	48 7/8	1992 -

B50 Color Codes

	46 5/8	47	48	48 7/8	49	49 1/2	50 1/2
Loop Color	Black	Black	Yellow	Black	Green	Red	Blue
Wrap Color	Yellow	Black	Black	Blue	Black	Black	Black

The following bows use OMNI-FLITE Strings:

	25-30	30-31	31-32	32-33	33-34	Model Years
SE600	48	49	50	50 1/2	51 1/2	1987 - 1988
SE689	48	49	50	50 1/2	51 1/2	1989
LXV	48	49	50	50 1/2	51 1/2	1989

	Short	Medium	Long	Model Years
Phantom	49	49	50 1/2	1990 - 1991
Phantom II	46 7/8	46 7/8	49 3/8	1992 -
Strike Eagle	49	49	50 1/2	1990 - 1992
Strike Eagle	49	49 3/8	50 1/2	1992
Aero-Force	47 1/8	47 1/8	49 3/8	1992 -

OMNI-FLITE COLOR CODES

	46 7/8	47 1/8	48	49	49 3/8	50	50 1/2	51 1/2
Loop Color	Green	Black	Yellow	Green	Black	Red	Black	Blue
Wrap Color	Green	Green	Black	Black	Red	Black	Black	Black

ONEIDA SERIAL NUMBER HISTORY

Bows built from 1986 to the present: The first letter in serial number designates the model, with two exceptions: H-250 / H2-xxxxx and H-500 / H5-xxxxx.

The serial number on bows built after 1987 contains a letter that designates the year the bow was built.

This letter is in the third position of the number.

Example:	Letter	
1988 =	B	H5 = H500 (1982 - 1989)
1989 =	D	H2 = H250 (1984 - 1989)
1990 =	F	S = Screaming Eagle (1987 - 1989)
1991 =	G	K = Strike Eagle (1990 - 1992)
1992 =	I	T = Tomcat (1990 -)
1993 =	J	P = Phantom (1990 -)
		A = Aero-Force (1992 -)

Example: AEJ1111 A = Aero-Force E = Not Camo J = 1993

Example: PCI1111 P = Phantom C = Camo I = 1992

Example: H5D1111 H5 = H500 D = 1989

The serial numbers on bows built from June 1986 thru March of 1987 start with an "A".

Example: A1111 June '86 - March '87